



Pony Testing International Group

报告编号:

CNBGR6CM61777555Z



扫二维码
关注谱尼测试



171100111668

监测报告

委托单位

浙江美福石油化工有限公司

受测单位

浙江美福石油化工有限公司

报告日期

2019.11.25

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



声明
Statement

1. 本报告无专用章和批准人签章无效。

This report is invalid without the approver's signatures and special seal of inspection.

2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.

3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内向本单位书面提出复测申请,同时附上报告原件并预付复测费。

If the applicant has any questions about the results, shall provide a written retest application, the original report and prepay the retest fees to PONY within fifteen days since the approval date.

4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。

After the applicant finishes the procedure mentioned above, PONY shall arrange the retest as soon as possible. If the retest result accords with the applicant dissent, PONY shall refund the retest fees.

5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。

Tests that can not be repeated and tested shall not be carried out again.

6. 委托单位对样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。

The applicant should undertake the responsibility for the provided samples' representativeness and document authenticity.

Otherwise, PONY has not any relevant responsibilities.

7. 本报告仅对所测样品负责,报告数据仅反映对所测样品的评价,对于报告及所载内容的使用、使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律责任。

This report is only responsible for the provided sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

8. 本单位有权在完成报告后处理所测样品。

PONY has the right to dispose the tested sample after approval of the test report.

9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。

PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.

10. 本报告全部或部分复制、私自转让、盗用、冒用、涂改或以其它任何形式篡改的均属无效,本单位将对上述行为严究其相应的法律责任。

Any unauthorized reproduce in full or part, piracy, alteration, forgery or falsification of the content is unlawful. PONY will investigate above acts for their legal liability.

▲ 防伪说明 (Anti-counterfeiting Description):

- (1) 报告编号是唯一的;

The test report has exclusive report code.

- (2) 报告采用特制防伪纸张印制,纸张表面带有“PONY”防伪纹路,该防伪纹路不支持复印,即复制件不会带有“PONY”防伪纹路。

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.



扫二维码
关注谱尼测试

www.ponytest.com

☎ Hotline 400-819-5688

北京实验室: (010)82618116
上海实验室: (021)64851999
青岛实验室: (0532)88706866
深圳实验室: (0755)26050909
天津实验室: (022)27360730
苏州实验室: (0512)62997900

长春实验室: (0431)85150908
大连实验室: (0411)87336618
哈尔滨实验室: (0451)88104651
郑州实验室: (0371)69350670
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660
西安实验室: (029)89608785
呼和浩特实验室: (0471)3450025
杭州实验室: (0571)87219096
宁波实验室: (0574)87736499

武汉实验室: (027)83997127
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 1 页, 共 11 页

采样日期	2019.11.05				监测日期		2019.11.05~2019.11.25	
样品名称	土壤				样品状态		固态	
采样方法	HJ/T 166-2004				采样员		胡锦涛, 高健	
备注	——							
监 测 项 目	采样位置/样品编号/监测结果							
	M61777555~M61780555 1A01 N:30°36'07.40", E:121°03'27.25"				M61781555~M61784555 1A02 N:30°36'11.31", E:121°03'33.34"			
	0.0~0.5m 灰色	0.5~1.5m 黄褐色	1.5~3.0m 黄褐色	3.0~6.0m 暗灰色	0.0~0.5m 灰色	0.5~1.5m 灰色	1.5~3.0m 灰色	3.0~6.0m 暗灰色
总汞, mg/kg	0.046	0.015	0.025	0.019	0.038	0.023	0.011	0.012
镍, mg/kg	118	33	38	36	30	30	21	16
铬(六价), mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
镉, mg/kg	0.14	0.09	0.08	0.08	0.16	0.05	0.09	0.08
总砷, mg/kg	5.18	15.21	5.35	5.53	4.51	7.09	2.61	6.62
铜, mg/kg	21	25	30	31	29	21	13	11
铅, mg/kg	27.0	29.0	29.7	30.8	35.4	26.6	20.5	21.1
pH值, (无量纲)	9.5	8.4	6.9	8.8	8.3	8.6	8.1	7.2
总石油烃(C ₁₀ ~C ₄₀), mg/kg	32	30	31	28	30	32	31	34
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
硝基苯, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09
2-氯苯酚, mg/kg	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
苯并[a]蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[a]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[b]荧蒽, mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
苯并[k]荧蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
二苯并[a,h]蒽, mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
茚并[1,2,3-cd]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
萘, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09

编制人: 陈聪慧

审核人: 张晖



Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司
公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000 武汉实验室: (027)83997127 石家庄实验室: (0311)85370660
上海实验室: (021)64851999 长春实验室: (0431)85150908 西安实验室: (029)89608785 温州实验室: (0577)88271060
青岛实验室: (0532)88706866 大连实验室: (0411)87336618 呼和浩特实验室: (0471)3450025 合肥实验室: (0551)63843474
深圳实验室: (0755)26050909 哈尔滨实验室: (0451)58627755 太原实验室: (0351)7555762 广州实验室: (020)89224310
天津实验室: (022)23607888 郑州实验室: (0371)69350670 杭州实验室: (0571)85806807 厦门实验室: (0592)5568048
苏州实验室: (0512)62997900 新疆实验室: (0991)6684186 宁波实验室: (0574)87977185 成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 2 页, 共 11 页

监测项目	采样位置/样品编号/监测结果							
	M61777555~M61780555 1A01 N:30°36'07.40", E:121°03'27.25"				M61781555~M61784555 1A02 N:30°36'11.31", E:121°03'33.34"			
	0.0~0.5m 灰色	0.5~1.5m 黄褐色	1.5~3.0m 黄褐色	3.0~6.0m 暗灰色	0.0~0.5m 灰色	0.5~1.5m 灰色	1.5~3.0m 灰色	3.0~6.0m 暗灰色
四氯化碳, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
氯仿, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
氯甲烷, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-二氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	5.0	7.7	<1.3	<1.3
1,1-二氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
顺式-1,2-二氯乙烯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
反式-1,2-二氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
二氯甲烷, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,2-二氯丙烷, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
1,1,1,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,1,2,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
四氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
1,1,1-三氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,1,2-三氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
三氯乙烯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2,3-三氯丙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
苯, µg/kg	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
氯苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,4-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
乙苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
苯乙烯, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
甲苯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
间/对二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
邻二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2



Pony Testing International Group

Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司

公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000
上海实验室: (021)64851999
青岛实验室: (0532)88706866
深圳实验室: (0755)26050909
天津实验室: (022)23607888
苏州实验室: (0512)62997900

武汉实验室: (027)83997127
长春实验室: (0431)85150908
大连实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
郑州实验室: (0371)69350670
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660
西安实验室: (029)89608785
呼和浩特实验室: (0471)3450025
太原实验室: (0351)7555762
杭州实验室: (0571)85806807
宁波实验室: (0574)87977185

温州实验室: (0577)88271060
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 3 页, 共 11 页

监测项目	采样位置/样品编号/监测结果							
	M61785555~M61788555 1B01 N:30°36'22.44", E:121°03'30.26"				M61785955~M61792555 1B02 N:30°36'24.36", E:121°03'21.59"			
	0.0~0.5m 褐色	0.5~1.5m 灰色	1.5~3.0m 灰色	3.0~6.0m 暗灰色	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 褐色	3.0~6.0m 暗灰色
总汞, mg/kg	0.059	0.019	0.031	0.016	0.046	0.012	0.029	0.004
镍, mg/kg	29	32	40	38	29	32	35	26
铬(六价), mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
镉, mg/kg	0.16	0.06	0.17	0.14	0.19	0.15	0.12	0.03
总砷, mg/kg	7.90	6.17	4.57	30.00	6.63	14.94	4.65	6.21
铜, mg/kg	22	22	33	28	26	23	28	23
铅, mg/kg	35.0	27.2	32.4	45.0	33.6	29.1	30.8	25.4
pH值, (无量纲)	7.6	7.7	7.5	8.2	7.8	6.5	6.9	7.0
总石油烃(C ₁₀ ~C ₄₀), mg/kg	32	28	32	30	29	28	30	31
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
硝基苯, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09
2-氯苯酚, mg/kg	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
苯并[a]蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[a]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[b]荧蒽, mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
苯并[k]荧蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
二苯并[a,h]蒽, mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
茚并[1,2,3-cd]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
蔡, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 4 页, 共 11 页

监测项目	采样位置/样品编号/监测结果							
	M61785555~M61788555 1B01 N:30°36'22.44", E:121°03'30.26"				M61785955~M61792555 1B02 N:30°36'24.36", E:121°03'21.59"			
	0.0~0.5m 褐色	0.5~1.5m 灰色	1.5~3.0m 灰色	3.0~6.0m 暗灰色	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 褐色	3.0~6.0m 暗灰色
四氯化碳, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
氯仿, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
氯甲烷, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-二氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,1-二氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
顺式-1,2-二氯乙烯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
反式-1,2-二氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
二氯甲烷, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,2-二氯丙烷, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
1,1,1,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,1,2,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
四氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
1,1,1-三氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,1,2-三氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
三氯乙烯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2,3-三氯丙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
苯, µg/kg	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
氯苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,4-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
乙苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
苯乙烯, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
甲苯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
间/对二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
邻二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2



Pony Testing International Group

Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司

公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000
上海实验室: (021)64851999
青岛实验室: (0532)88706866
深圳实验室: (0755)26050909
天津实验室: (022)23607888
苏州实验室: (0512)62997900

武汉实验室: (027)83997127
长春实验室: (0431)85150908
大连实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
郑州实验室: (0371)69350670
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660
西安实验室: (029)89608785
呼和浩特实验室: (0471)3450025
太原实验室: (0351)7555762
杭州实验室: (0571)85806807
宁波实验室: (0574)87977185

温州实验室: (0577)88271060
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
成都实验室: (028)87702708



扫微信二维码
关注谱尼测试



Pony Testing International Group

监测报告

报告编号: CNBGR6CM61777555Z

第 5 页, 共 11 页

监 测 项 目	采样位置/样品编号/监测结果							
	M61793555~M61796555 1C01 N:30°36'18.70", E:121°03'24.23"				M61797555~M61800555 1C02 N:30°36'14.30", E:121°03'19.87"			
	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 褐色	3.0~6.0m 褐色	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 暗灰色	3.0~6.0m 暗灰色
总汞, mg/kg	0.077	0.014	0.020	<0.002	0.116	0.146	0.045	0.019
镍, mg/kg	32	33	37	25	30	26	30	22
铬(六价), mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
镉, mg/kg	0.22	0.08	0.16	0.02	0.16	0.11	0.05	<0.01
总砷, mg/kg	8.75	6.44	9.90	5.77	6.22	5.30	5.06	4.60
铜, mg/kg	35	25	33	19	28	24	42	22
铅, mg/kg	38.8	26.9	31.5	25.2	31.0	30.4	25.7	24.9
pH值, (无量纲)	6.9	6.8	7.2	6.5	7.2	7.3	7.6	7.7
总石油烃(C ₁₀ ~C ₄₀), mg/kg	29	29	31	30	27	29	29	28
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
硝基苯, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09
2-氯苯酚, mg/kg	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06	<0.06
苯并[a]蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[a]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
苯并[b]荧蒽, mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
苯并[k]荧蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
蒽, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
二苯并[a,h]蒽, mg/kg	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
茚并[1,2,3-cd]芘, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
萘, mg/kg	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 6 页, 共 11 页

监测项目	采样位置/样品编号/监测结果							
	M61793555~M61796555				M61797555~M61800555			
	1C01				1C02			
	N:30°36'18.70", E:121°03'24.23"				N:30°36'14.30", E:121°03'19.87"			
	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 褐色	3.0~6.0m 褐色	0.0~0.5m 褐色	0.5~1.5m 褐色	1.5~3.0m 暗灰色	3.0~6.0m 暗灰色
四氯化碳, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
氯仿, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
氯甲烷, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-二氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	2.3	1.7	<1.3
1,1-二氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
顺式-1,2-二氯乙烯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
反式-1,2-二氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
二氯甲烷, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,2-二氯丙烷, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
1,1,1,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,1,1,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
四氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
1,1,1-三氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
1,1,2-三氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
三氯乙烯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2,3-三氯丙烷, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
苯, µg/kg	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
氯苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
1,2-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
1,4-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
乙苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
苯乙烯, µg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
甲苯, µg/kg	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3	<1.3
间/对二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
邻二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2



Pony Testing International Group

Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司

公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000

上海实验室: (021)64851999

青岛实验室: (0532)88706866

深圳实验室: (0755)26050909

天津实验室: (022)23607888

苏州实验室: (0512)62997900

武汉实验室: (027)83997127

长春实验室: (0431)85150908

大连实验室: (0411)87336618

哈尔滨实验室: (0451)58627755

郑州实验室: (0371)69350670

新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660

西安实验室: (029)89608785

呼和浩特实验室: (0471)3450025

太原实验室: (0351)7555762

杭州实验室: (0571)85806807

宁波实验室: (0574)87977185

温州实验室: (0577)88271060

合肥实验室: (0551)63843474

广州实验室: (020)89224310

厦门实验室: (0592)5568048

成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 7 页, 共 11 页

监 测 项 目	采样位置/样品编号/监测结果			
	M61801555~M61804555 参照点 N:30°26'22.32", E:121°03'33.34"			
	0.0~0.5m 灰色	0.5~1.5m 褐色	1.5~3.0m 暗灰色	3.0~6.0m 暗灰色
总汞, mg/kg	0.095	0.027	0.021	0.010
镍, mg/kg	28	41	34	29
铬(六价), mg/kg	<0.5	<0.5	<0.5	<0.5
镉, mg/kg	0.05	0.08	0.09	0.03
总砷, mg/kg	4.87	13.35	15.44	7.87
铜, mg/kg	22	31	27	25
铅, mg/kg	29.4	33.0	26.7	30.8
pH值, (无量纲)	7.9	7.6	8.3	8.6
总石油烃(C ₁₀ ~C ₄₀), mg/kg	29	31	31	28
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1
硝基苯, mg/kg	<0.09	<0.09	<0.09	<0.09
2-氯苯酚, mg/kg	<0.06	<0.06	<0.06	<0.06
苯并[a]蒽, mg/kg	<0.1	<0.1	<0.1	<0.1
苯并[a]芘, mg/kg	<0.1	<0.1	<0.1	<0.1
苯并[b]荧蒽, mg/kg	<0.2	<0.2	<0.2	<0.2
苯并[k]荧蒽, mg/kg	<0.1	<0.1	<0.1	<0.1
蒽, mg/kg	<0.1	<0.1	<0.1	<0.1
二苯并[a,h]蒽, mg/kg	<0.05	<0.05	<0.05	<0.05
茚并[1,2,3-cd]芘, mg/kg	<0.1	<0.1	<0.1	<0.1
萘, mg/kg	<0.09	<0.09	<0.09	<0.09



Pony Testing International Group

☎Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司

公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000
上海实验室: (021)64851999
青岛实验室: (0532)88706866
深圳实验室: (0755)26050909
天津实验室: (022)23607888
苏州实验室: (0512)62997900

武汉实验室: (027)83997127
长春实验室: (0431)85150908
大连实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
郑州实验室: (0371)69350670
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660
西安实验室: (029)89608785
呼和浩特实验室: (0471)3450025
太原实验室: (0351)7555762
杭州实验室: (0571)85806807
宁波实验室: (0574)87977185

温州实验室: (0577)88271060
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
成都实验室: (028)87702708



监测报告

Pony Testing International Group

第 8 页, 共 11 页

报告编号: CNBGR6CM61777555Z

监 测 项 目	采样位置/样品编号/监测结果			
	M61801555~M61804555			
	参照点			
	N:30°26'22.32", E:121°03'33.34"			
	0.0~0.5m 灰色	0.5~1.5m 褐色	1.5~3.0m 暗灰色	3.0~6.0m 暗灰色
四氯化碳, µg/kg	<1.3	<1.3	<1.3	<1.3
氯仿, µg/kg	<1.1	<1.1	<1.1	<1.1
氯甲烷, µg/kg	<1.0	<1.0	<1.0	<1.0
1,1-二氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2
1,2-二氯乙烷, µg/kg	141	<1.3	5.8	<1.3
1,1-二氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0
顺式-1,2-二氯乙烯, µg/kg	<1.3	<1.3	<1.3	<1.3
反式-1,2-二氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4
二氯甲烷, µg/kg	<1.5	<1.5	<1.5	<1.5
1,2-二氯丙烷, µg/kg	<1.1	<1.1	<1.1	<1.1
1,1,1,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2
1,1,2,2-四氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2
四氯乙烯, µg/kg	<1.4	<1.4	<1.4	<1.4
1,1,1-三氯乙烷, µg/kg	<1.3	<1.3	<1.3	<1.3
1,1,2-三氯乙烷, µg/kg	<1.2	<1.2	<1.2	<1.2
三氯乙烯, µg/kg	<1.2	<1.2	<1.2	<1.2
1,2,3-三氯丙烷, µg/kg	<1.2	<1.2	<1.2	<1.2
氯乙烯, µg/kg	<1.0	<1.0	<1.0	<1.0
苯, µg/kg	<1.9	<1.9	<1.9	<1.9
氯苯, µg/kg	<1.2	<1.2	<1.2	<1.2
1,2-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5
1,4-二氯苯, µg/kg	<1.5	<1.5	<1.5	<1.5
乙苯, µg/kg	<1.2	<1.2	<1.2	<1.2
苯乙烯, µg/kg	<1.1	<1.1	<1.1	<1.1
甲苯, µg/kg	<1.3	<1.3	<1.3	<1.3
间/对二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2
邻二甲苯, µg/kg	<1.2	<1.2	<1.2	<1.2



Pony Testing International Group

☎Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司

公司地址: 杭州市西湖区三墩镇西园九路8号3幢D、E区六层601室

北京实验室: (010)83055000
上海实验室: (021)64851999
青岛实验室: (0532)88706866
深圳实验室: (0755)26050909
天津实验室: (022)23607888
苏州实验室: (0512)62997900

武汉实验室: (027)83997127
长春实验室: (0431)85150908
大连实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
郑州实验室: (0371)69350670
新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660
西安实验室: (029)89608785
呼和浩特实验室: (0471)3450025
太原实验室: (0351)7555762
杭州实验室: (0571)85806807
宁波实验室: (0574)87977185

温州实验室: (0577)88271060
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 9 页, 共 11 页

表 1 监测项目、方法标准、设备及最低检出浓度

监测项目	方法标准	主要监测仪器	最低检出浓度
总汞	土壤质量 总汞、总砷、总铅的测定 原子荧光法 第 1 部分: 土壤中总汞的测定 GB/T 22105.1-2008	原子荧光光谱仪	0.002 mg/kg
镍	土壤和沉淀物 铜、锌、铅、镍、铬的测定 火焰原子吸收分光光度法 HJ 491-2019	原子吸收光谱仪	3 mg/kg
铬(六价)	六价铬 碱消解比色法 US EPA3060A:1996&US EPA7196A:1992	紫外-可见分光光度计	0.5 mg/kg
镉	土壤质量 铅、镉的测定 石墨炉原子吸收分光光度法 GB/T 17141-1997	石墨炉原子吸收光谱仪	0.01 mg/kg
总砷	土壤质量 总汞、总砷、总铅的测定 原子荧光法 第 2 部分: 土壤中总砷的测定 GB/T 22105.2-2008	原子荧光光谱仪	0.01 mg/kg
铜	土壤和沉淀物 铜、锌、铅、镍、铬的测定 火焰原子吸收分光光度法 HJ 491-2019	原子吸收光谱仪	1 mg/kg
铅	土壤质量 铅、镉的测定 石墨炉原子吸收分光光度法 GB/T 17141-1997	石墨炉原子吸收光谱仪	0.1 mg/kg
pH 值	土壤监测第 2 部分: 土壤 pH 的测定 NY/T 1121.2-2006	酸度计	—
总石油烃 (C ₁₀ -C ₄₀)	土壤质量—用气相色谱法测定 C10 到 C40 范围内 石油烃的含量 BS EN ISO16703:2011	气相色谱仪	5 mg/kg
苯胺	SOXHLET EXTRACTION US EPA 3540C:1996 SEMIVOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY US EPA 8270D:2014 前处理方法: 索氏萃取法 US EPA 3540C:1996 分析方法: 气相色谱-质谱法测定半挥发性有机化合物 US EPA 8270D:2014	气相色谱质谱联用仪	0.1 mg/kg



©Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司
公司地址: 杭州市西湖区三墩镇西园九路 8 号 3 幢 D、E 区六层 601 室

北京实验室: (010)83055000 武汉实验室: (027)83997127 石家庄实验室: (0311)85376660
上海实验室: (021)64851999 长春实验室: (0431)85150908 西安实验室: (029)89608785 温州实验室: (0577)88271060
青岛实验室: (0532)88706866 大连实验室: (0411)87336618 呼和浩特实验室: (0471)3450025 合肥实验室: (0551)63843474
深圳实验室: (0755)26050909 哈尔滨实验室: (0451)58627755 太原实验室: (0351)7555762 广州实验室: (020)89224310
天津实验室: (022)23607888 郑州实验室: (0371)69350670 杭州实验室: (0571)85806807 厦门实验室: (0592)5568048
苏州实验室: (0512)62997900 新疆实验室: (0991)6684186 宁波实验室: (0574)87977185 成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 10 页, 共 11 页

表 1 监测项目、方法标准、设备及最低检出浓度

监测项目	方法标准	主要监测仪器	最低检出浓度
硝基苯	土壤和沉积物 半挥发性有机物的测定 气相色谱-质谱法 HJ 834-2017	气相色谱质谱联用仪	0.09 mg/kg
2-氯苯酚			0.06 mg/kg
苯并[a]蒽			0.1 mg/kg
苯并[a]芘			0.1 mg/kg
苯并[b]荧蒽			0.2 mg/kg
苯并[k]荧蒽			0.1 mg/kg
蒽			0.1 mg/kg
二苯并[a,h]蒽			0.05 mg/kg
茚并[1,2,3-cd]芘			0.1 mg/kg
萘			0.09 mg/kg
四氯化碳	土壤和沉积物 挥发性有机物的测定 吹扫捕集 /气相色谱-质谱法 HJ 605-2011	气相色谱质谱联用仪	1.3 µg/kg
氯仿			1.1 µg/kg
氯甲烷			1.0 µg/kg
1,1-二氯乙烷			1.2 µg/kg
1,2-二氯乙烷			1.3 µg/kg
1,1-二氯乙烯			1.0 µg/kg
顺式-1,2-二氯乙烯			1.3 µg/kg
反式-1,2-二氯乙烯			1.4 µg/kg
二氯甲烷			1.5 µg/kg
1,2-二氯丙烷			1.1 µg/kg
1,1,1,2-四氯乙烷			1.2 µg/kg
1,1,2,2-四氯乙烷			1.2 µg/kg
四氯乙烯			1.4 µg/kg
1,1,1-三氯乙烷			1.3 µg/kg
1,1,2-三氯乙烷			1.2 µg/kg
三氯乙烯			1.2 µg/kg
1,2,3-三氯丙烷			1.2 µg/kg
氯乙烯			1.0 µg/kg
苯			1.9 µg/kg
氯苯			1.2 µg/kg
1,2-二氯苯			1.5 µg/kg
1,4-二氯苯			1.5 µg/kg
乙苯			1.2 µg/kg
苯乙烯			1.1 µg/kg
甲苯			1.3 µg/kg
间/对二甲苯			1.2 µg/kg
邻二甲苯			1.2 µg/kg



©Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司
公司地址: 杭州市西湖区三墩镇西园九路 8 号 3 幢 D、E 区六层 601 室

北京实验室: (010)83055000 武汉实验室: (027)83997127 石家庄实验室: (0311)85376660
上海实验室: (021)64851999 长春实验室: (0431)85150908 西安实验室: (029)89608785 温州实验室: (0577)88271060
青岛实验室: (0532)88706866 大连实验室: (0411)87336618 呼和浩特实验室: (0471)3450025 合肥实验室: (0551)63843474
深圳实验室: (0755)26050909 哈尔滨实验室: (0451)58627755 太原实验室: (0351)7555762 广州实验室: (020)89224310
天津实验室: (022)23607888 郑州实验室: (0371)69350670 杭州实验室: (0571)85806807 厦门实验室: (0592)5568048
苏州实验室: (0512)62997900 新疆实验室: (0991)6684186 宁波实验室: (0574)87977185 成都实验室: (028)87702708




监测报告

Pony Testing International Group

报告编号: CNBGR6CM61777555Z

第 11 页, 共 11 页

示意图:



★ 土壤监测点位

● 地下水监测点位

以下空白



Pony Testing International Group

报告编号:

CNBGR6CM61808555



171100111668

监测报告

委托单位 浙江美福石油化工有限责任公司

受测单位 浙江美福石油化工有限责任公司

报告日期 2019.11.25

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



声明 Statement

1. 本报告无专用章和批准人签章无效。

This report is invalid without the approver's signatures and special seal of inspection.

2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。

The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.

3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内向本单位书面提出复测申请,同时附上报告原件并预付复测费。

If the applicant has any questions about the results, shall provide a written retest application, the original report and prepay the retest fees to PONY within fifteen days since the approval date.

4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。

After the applicant finishes the procedure mentioned above, PONY shall arrange the retest as soon as possible. If the retest result accords with the applicant dissent, PONY shall refund the retest fees.

5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。

Tests that can not be repeated and tested shall not be carried out again.

6. 委托单位对样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。

The applicant should undertake the responsibility for the provided samples' representativeness and document authenticity.

Otherwise, PONY has not any relevant responsibilities.

7. 本报告仅对所测样品负责,报告数据仅反映对所测样品的评价,对于报告及所载内容的使用、使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律责任。

This report is only responsible for the provided sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

8. 本单位有权在完成报告后处理所测样品。

PONY has the right to dispose the tested sample after approval of the test report.

9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。

PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.

10. 本报告全部或部分复制、私自转让、盗用、冒用、涂改或以其它任何形式篡改的均属无效,本单位将对上述行为严究其相应的法律责任。

Any unauthorized reproduce in full or part, piracy, alteration, forgery or falsification of the content is unlawful. PONY will investigate above acts for their legal liability.

▲ 防伪说明 (Anti-counterfeiting Description):

- (1) 报告编号是唯一的;

The test report has exclusive report code.

- (2) 报告采用特制防伪纸张印制,纸张表面带有“PONY”防伪纹路,该防伪纹路不支持复印,即复制件不会带有“PONY”防伪纹路。

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.



扫二维码
关注谱尼测试

www.ponytest.com

☎ Hotline 400-819-5688

北京实验室: (010)82618116

上海实验室: (021)64851999

青岛实验室: (0532)88706866

深圳实验室: (0755)26050909

天津实验室: (022)27360730

苏州实验室: (0512)62997900

长春实验室: (0431)85150908

大连实验室: (0411)87336618

哈尔滨实验室: (0451)88104651

郑州实验室: (0371)69350670

新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660

西安实验室: (029)89608785

呼和浩特实验室: (0471)3450025

杭州实验室: (0571)87219096

宁波实验室: (0574)87736499

武汉实验室: (027)83997127

合肥实验室: (0551)63843474

广州实验室: (020)89224310

厦门实验室: (0592)5568048

成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61808555

第 1 页, 共 3 页

采样日期	2019.11.06	监测日期	2019.11.06~2019.11.25
样品名称	地下水	样品状态	液态
采样方法	HJ/T 164-2004	采样员	高健, 胡锦安
主要监测设备	见附表		
备注	——		
监测项目	采样位置/样品编号/监测结果		
	M61808555 地下水 2A01 N:30°36'07.40", E:121°03'27.25" (微浊)	M61809555 地下水 2B01 N:30°36'27.44", E:121°03'30.26" (微浊)	M61810555 地下水 2C01 N:30°36'18.70", E:121°03'24.23" (微浊)
苯, µg/L	0.4	<0.4	<0.4
甲苯, µg/L	<0.3	<0.3	<0.3
二甲苯, µg/L	<0.5	<0.5	<0.5
石油类, mg/L	0.01	<0.01	0.01
本页以下空白			

编制: 陈聪慧

审核: 张永强

批准: 胡锦安



Hotline 400-819-5688 www.ponytest.com

杭州谱尼检测科技有限公司
公司地址: 杭州市西湖区三墩镇西园九路 8 号 3 幢 D、E 区六层 601 室

北京实验室: (010)83055000 武汉实验室: (027)83997127 石家庄实验室: (0311)85376660
上海实验室: (021)64851999 长春实验室: (0431)85150908 西安实验室: (029)89608785 温州实验室: (0577)88271060
青岛实验室: (0532)88706866 大连实验室: (0411)87336618 呼和浩特实验室: (0471)3450025 合肥实验室: (0551)63843474
深圳实验室: (0755)26050909 哈尔滨实验室: (0451)58627755 太原实验室: (0351)7555762 广州实验室: (020)89224310
天津实验室: (022)23607888 郑州实验室: (0371)69350670 杭州实验室: (0571)85806807 厦门实验室: (0592)5568048
苏州实验室: (0512)62997900 新疆实验室: (0991)6684186 宁波实验室: (0574)87977185 成都实验室: (028)87702708



监测报告

Pony Testing International Group

报告编号: CNBGR6CM61808555

第 2 页, 共 3 页

附表 地下水监测项目、方法依据、设备及最低检出浓度

监测项目	分析方法及方法来源	主要监测设备	最低检出浓度
苯	生活饮用水标准检验方法 有机物指标 GB/T 5750.8-2006 附录 A 吹脱捕集/气相色谱- 质谱法测定挥发性有机化合物	气相色谱质谱联用仪	0.4 µg/L
甲苯	生活饮用水标准检验方法 有机物指标 GB/T 5750.8-2006 附录 A 吹脱捕集/气相色谱- 质谱法测定挥发性有机化合物	气相色谱质谱联用仪	0.3 µg/L
二甲苯	生活饮用水标准检验方法 有机物指标 GB/T 5750.8-2006 附录 A 吹脱捕集/气相色谱- 质谱法测定挥发性有机化合物	气相色谱质谱联用仪	0.5 µg/L
石油类	水质 石油类的测定 紫外分光光度法 (试行) HJ 970-2018	紫外可见分光光度计	0.01 mg/L

以下空白



©Hotline 400-819-5688

www.ponytest.com

杭州谱尼检测科技有限公司
公司地址: 杭州市西湖区三墩镇西园九路 8 号 3 幢 D、E 区六层 601 室

北京实验室: (010)83055000	武汉实验室: (027)83997127	石家庄实验室: (0311)85376660
上海实验室: (021)64851999	长春实验室: (0431)85150908	西安实验室: (029)89608785
青岛实验室: (0532)88706866	大连实验室: (0411)87336618	呼和浩特实验室: (0471)3450025
深圳实验室: (0755)26050909	哈尔滨实验室: (0451)58627755	太原实验室: (0351)7555762
天津实验室: (022)23607888	郑州实验室: (0371)69350670	杭州实验室: (0571)85806807
苏州实验室: (0512)62997900	新疆实验室: (0991)6684186	宁波实验室: (0574)87977185
		温州实验室: (0577)88271060
		合肥实验室: (0551)63843474
		广州实验室: (020)89224310
		厦门实验室: (0592)5568048
		成都实验室: (028)87702708

监测报告

报告编号: CNBGR6CM61808555

第3页, 共3页

示意图:




图 5-1 自行监测采样布点图

以下空白